

ToughTek™ MP25Machine Technologies Mixing Pumps



Self-leveling Made Easy _____

Ideal for self-leveling flooring applications

Mix, pump and apply pre-blended cementitious construction materials with a single, easy-to-use machine. Because one or two workers can operate the ToughTek Machine Technologies MP25 Mixing Pump, it saves on labor expenses. Its water system helps reduce material waste by maintaining material consistency at a uniform flow rate.

Applications

- Self-leveling underlayments
- Pre-blended non-shrink grouts
- Pre-blended topping materials










Technical Specifications

| | MP25 standard | MP25ho (High Output) | |
|------------------------|-------------------------------------|-------------------------------------|--|
| Pump motor | 4 Kw (5.4 hp) | 5.5 Kw (7.5 hp) | |
| Water pump | 0.45 hp | 0.45 hp | |
| Pumping output | Up to 25 lpm (50 cu ft/hr) | Up to 50 lpm (100 cu ft/hr) | |
| Pumping pressure | 425 psi (29 bar/2.9 MPa) | 425 psi (29 bar/2.9 MPa) | |
| Pumping distance | 200 ft + (61 m +) | 200 ft + (61 m +) | |
| Pumping height | 60 ft + (18 m +) | 60 ft + (18 m +) | |
| Hopper/filling height | 42 in (107 cm) | 42 in (107 cm) | |
| Hopper capacity | 5 cu ft (0.14 cu m) | 5 cu ft (0.14 cu m) | |
| Weight | 425 lb (193 kg) | 505 lb (229 kg) | |
| Dimensions (L x W x H) | 60 x 52 x 32 in (152 x 132 x 81 cm) | 60 x 52 x 32 in (152 x 132 x 81 cm) | |
| Power requirements | 220V, 30A, 1-ph | 220V, 30A, 3-ph | |
| Rotor/Stator size | D Series | R Series | |

Ordering Information _____

| 60010120 | MP25 standard output, 230V, 30A, 1-ph | 30000142 | R7-1.5 Stator, yellow, adjustable |
|----------|---------------------------------------|----------|-----------------------------------|
| 60010121 | MP25ho high output, 230V, 30A, 3-ph | 30000143 | R7-1.5 Rotor |
| 30000039 | D8-1.5 Stator, green, adjustable | 40000020 | 25 mm x 33 ft (10 m) mortar hose |
| 30000040 | D8-1.5 Rotor | 40000026 | 35 mm x 43 ft (13 m) mortar hose |
| | | | |



AMERICAS

MINNESOTA

Worldwide Headquarters Graco Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

MAILING ADDRESS

P.O. Box 1441

Minneapolis, MN 55440-1441

Tel: 612-623-6000 Fax: 612-623-6777

EUROPE

BELGIUM

Graco BVBA Industrieterrein-Oude Bunders Slakweidestraat 31 B-3630 Maasmechelen, Belaium

Tel: 32 89 770 700 Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd. Suite 17, 2 Enterprise Drive Bundoora, Victoria 3083 Australia

Tel: 61 3 9468 8500 Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd. Shanghai Representative Office 1029 Zhongshan Road South, Huangpu District Shanghai, 200011 The People's Republic of China Tel: 86 21 649 50088 Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd. India Liaison Office Room 443, Level 4 Augusta Point, Golf Course Road Gurgaon, Haryana, India 122001 Tel: 91 124 435 4208 Fax: 91 124 435 4001

JAPAN

Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku

Yokohama City, Japan 2240025

Tel: 81 45 593 7300 Fax: 81 45 593 7301

KOREA

Graco Korea Inc. Shinhan Bank Building 4th Floor #1599 Gwanyang-Dong, Dongan-Ku, Anyang-si, Korea 431-060 Tel: 82 31 476 9400 Fax: 82 31 476 9801

©2016 Graco Inc. **ELECTRONIC ONLY** 349563 Rev. A 1/16 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. All other brand names or marks are used for identification purposes and are trademarks of their respective owners



Graco Has You Covered

Facilities Worldwide for Global Support



Quality First

At Graco we pride ourselves on providing best-in-class products. Engineered solutions are manufactured in our own facilities, with the highest standards in the industry. We provide you with world-class customer support and expertise to help solve your application challenges.



Global Reach

Graco has facilities and distribution partners across the globe to provide you with the products and service you need, where you live. Plus, Graco has dedicated field experts in all areas of the world to support the products we sell.



Product Capabilities

Graco has a broad range of products to provide solutions that meet your needs. Our products are engineered and tested to perform in the harshest environments so you can be certain your equipment is protected and working at peak performance.

Contact us today!

Call 817-636-5637 to talk with a Graco representative, or visit www.graco.com for more information.

