

BURWELL EQUIPMENT LIST

2025



BROCHURES

1230 Blast Machine Brochure	3
1532 Blast Machine Brochure.....	4
1642 Blast Machine Brochure.....	5
1642CP Blast Machine Brochure	6
2449 Blast Machine Brochure.....	7
2449CP Blast Machine Brochure.....	8
Half Tonne Blast Machine Brochure	9
One Tonne Blast Machine Brochure	10
400 Breeze-Pro Air Dryer Brochure	11
800 Breeze-Pro Air Dryer Brochure	12
1600 Breeze-Pro Air Dryer Brochure.....	13
Water Separator Brochure.....	14
5000 Electric Extraction Fan Brochure.....	15
10000 Electric Extraction Fan Brochure.....	16
10000 Pneumatic Extraction Fan Brochure.....	17
Safety Load System Brochure	18
Load Hopper Brochure.....	19
30L Multi Outlet Air Manifold Brochure.....	20
Dustmaster Junior Mobile Dust Collector.....	21
Dustmaster Pro Mobile Dust Collector	22
Dustmaster Elite Mobile Dust Collector	23
Vixen 1215 Aquablast Cabinet.....	24
912 Suction Blast Cabinet	25

What We Stand For

At Burwell we take a long-term view of our products. We believe we have a responsibility to our customer and to the broader environment to make and distribute only high-quality products that last. This is good for the customer, as well as for the environment we take from. By increasing product durability, we all take less, produce less and ultimately waste less.

Each product stamped BURWELL represents quality. From what we source, to how we build. From our functional design to our superb craftsmanship.

We stand by our product and would rather you repair your BURWELL product than replace it.

Our products are designed to last.

This is what we stand for.


1230

BLAST MACHINE

Burwell's answer to the "Mitey Mite".

The lightest pot in our range at just 50kg.

Small enough to get into tight spaces, large enough to take 2 x 25kg bags of garnet.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



BUILT TOUGH

Rated to 175 psi (1205 kPa) to meet all situations.



SAFE

Rated lifting lugs make this the safest small pot on the market to handle.



PERFORMANCE

Valving system designed to minimise pressure drop.



STABLE

Four points of contact on the ground for maximum stability.



PROTECTED

Valves are positioned to minimise the chance of damage.

Specifications

Useable Garnet Capacity: 50kg
Vessel diameter: 305mm
Weight: 50kg
Length: 680mm
Width: 455mm
Height: 840mm
Volume: 26 litres (0.9 cu ft)

Inclusions



Screen & Lid
1/2" Dump Valve
1-1/4" Micromiser Valve
1" Auto Air Valve
10m Deadman Control Line
Pneumatic Deadman Trigger
MDR & Australian Design
Registration Certificate

Part Number

0131-1230-10

Description

Standard 1230 Blast Machine



BURWELL

1300 287 935 burwell.com.au


Version 240602

1532

BLAST MACHINE

The "Stubbie".

Lightest pot for it's size at just 60kg.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



BUILT TOUGH

Rated to 175 psi (1205 kPa) to meet all situations.



SAFE

Rated lifting lugs make handling and transport safer and easier.



STABLE

Lower height to reduce risk of tipping and four points of contact for maximum stability.



PERFORMANCE

Valving system designed to minimise pressure drop.



PROTECTED

Valves are positioned to minimise the chance of damage.

Specifications

Useable Garnet Capacity: 75kg
Vessel diameter: 380mm
Weight: 60kg
Length: 725mm
Width: 525mm
Height: 885mm
Volume: 55 litres (2 cu ft)

Inclusions



Screen & Lid
1/2" Dump Valve
1-1/4" Micromiser Valve
1" Auto Air Valve
10m Deadman Control Line
Pneumatic Deadman Trigger
MDR & Australian Design
Registration Certificate

Part Number

0131-1532-10

Description

Standard 1532 Blast Machine



BURWELL

1300 287 935 burwell.com.au


Version 240602

1642

BLAST MACHINE

The "Portable Workhorse."

Approximately 60 minutes of blast time and designed to fit 6 x 25kg bags of garnet.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



BUILT TOUGH

Rated to 175 psi (1205 kPa) to meet all situations.



STABLE

Four points of contact for maximum stability.



SAFE

Rated lifting lugs to make handling and transport safer and easier.



PERFORMANCE

Valving system designed to minimise pressure drop.



EASY TO LOAD

Low height of 1180mm makes it easier to load and handle.

Specifications

Useable Garnet Capacity: 175kg
Vessel diameter: 405mm
Weight: 145kg
Length: 780mm
Width: 580mm
Height: 1180mm
Volume: 90 litres (3.2 cu ft)

Inclusions



Screen & Lid
1" Dump Valve & Silencer
1-1/4" Micromiser Valve
1-1/4" Auto Air Valve
20m Deadman Control Line
Pneumatic Deadman Trigger
MDR & Australian Design
Registration Certificate

Part Number

0191-1642-10

Description

Standard 1642 Blast Machine



BURWELL


1300 287 935 burwell.com.au

Version 240602

1642CP BLAST MACHINE

The "Trigger Happy Portable Workhorse."

Constant pressure allows for continuous blasting.
Less stopping and starting on air compressor, reduced fuel or power consumption and less wear on blast pot components.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



CONSTANT PRESSURE

Continuous blasting, less wear and tear and reduced energy consumption.



BUILT TOUGH

Rated to 175 psi (1205 kPa) to meet all situations.



STABLE

Four points of contact for maximum stability.



SAFE

Rated lifting lugs to make handling and transport safer and easier.



PERFORMANCE

Valving system designed to minimise pressure drop.



EASY TO LOAD

Low height of 1180mm makes it easier to load and handle.

Specifications

Useable Garnet Capacity: 175kg
Vessel diameter: 405mm
Weight: 145kg
Length: 780mm
Width: 580mm
Height: 1180mm
Volume: 90 litres (3.2 cu ft)

Option

Pneumatic Deadman Trigger

Inclusions



Screen & Lid
Thompson II Valve
1-1/4" Auto Air Valve
20m Deadman Control Line
ECK Electric Deadman Trigger
Manual Dump with Silencer
MDR & Australian Design
Registration Certificate

Part Number

0152-1642-30
0151-1642-30

Description

Constant Pressure 1642 Blast Machine - Electric
Constant Pressure 1642 Blast Machine - Pneumatic



BURWELL

1300 287 935 burwell.com.au

Version 240602


2449

BLAST MACHINE

The "Contractor's
Choice."

Suitable for industrial projects
and blast room applications.

Up to 120 minutes of blast time.



AUSTRALIAN MADE

Designed and made in Australia to AS1210
using Australian Plate Steel.



BUILT TOUGH

Rated to 175 psi (1205 kPa) to meet
all situations.



SAFE

Rated lifting lugs to make handling and
transport safer and easier.



TRANSPORT READY

Rated lifting lugs to make handling and
transport safer and easier.



PERFORMANCE

Valving system designed to minimise
pressure drop.



SITE READY

Forklift slots comply with Australian safety
and site standards.

Specifications

Useable Garnet Capacity: 400kg
Vessel diameter: 610mm
Weight: 175kg
Length: 845mm
Width: 700mm
Height: 1330mm
Volume: 185 litres (6.5 cu ft)

Inclusions


Screen & Lid
1" Dump Valve & Silencer
1-1/4" Micromiser Valve
1-1/4" Auto Air Valve
20m Deadman Control Line
Pneumatic Deadman Trigger
MDR & Australian Design
Registration Certificate

Part Number

0191-2449-10

Description

Standard 2449 Blast Machine



BURWELL


1300 287 935 burwell.com.au

Version 240602

2449CP BLAST MACHINE

The "Trigger Happy Contractor's Choice."

Constant pressure allows for continuous blasting. Less wear and tear on air compressor, reduced fuel or power consumption and less wear of blast pot components.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



CONSTANT PRESSURE

Continuous blasting, less wear and tear and reduced energy consumption.



BUILT TOUGH

Rated to 175 psi (1205 kPa) to meet all situations.



SAFE

Rated lifting lugs to make handling and transport safer and easier.



PERFORMANCE

Valving system designed to minimise pressure drop.



TRANSPORT READY

Rated lifting lugs to make handling and transport safer and easier.



SITE READY

Forklift slots comply with Australian safety and site standards.

Specifications

Useable Garnet Capacity: 400kg
Vessel diameter: 610mm
Weight: 175kg
Length: 845mm
Width: 700mm
Height: 1330mm
Volume: 185 litres (6.5 cu ft)

Option

Pneumatic Deadman Trigger

Inclusions


Screen & Lid
Thompson II Valve
1-1/4" Auto Air Valve
20m Deadman Control Line
ECK Electric Deadman Trigger
Manual Dump with Silencer
MDR & Australian Design
Registration Certificate

Part Number

0152-2449-30
0151-2449-30

Description

Constant Pressure 2449 Blast Machine - Electric
Constant Pressure 2449 Blast Machine - Pneumatic



BURWELL

1300 287 935 burwell.com.au


Version 240602

HALF TONNE DOUBLE OUTLET BLAST MACHINE

The "Low Boy".

Ideal for small industrial projects and blast room applications.

Easy loading and suitable for 2 operators.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



CONSTANT PRESSURE

Continuous blasting, less wear and tear and reduced energy consumption.



BUILT TOUGH

Rated to 150 psi (1035 kPa) to meet all situations.



SAFE

Forklift slots removes the risk of unsafe manual handling.



ZERO DOWNTIME

Two outlets provide backup in production.



ISOLATION SYSTEM

Burwell's unique Grit Isolation System to prevent abrasive/grit spillage whilst servicing.



TRANSPORT READY

Rated lifting lugs to make handling and transport safer and easier.



EASY TO LOAD

Low height of 1120mm makes it easier to load and handle.

Specifications

Useable Garnet Capacity: 500kg
Vessel diameter: 940mm
Weight: 340kg
Length: 1100mm
Width: 1500mm
Height: 1120mm
Volume: 330 litres (11.8 cu ft)

Option



2 X Pneumatic Deadman Triggers

Inclusions

Screen & Lid
Thompson II Valve
Brass Pot Couplings
1-1/2" Auto Air Valve
Certified Pressure Relief Valve
2 x 20m Deadman Control Lines
2 x ECK Electric Deadman Triggers
MDR & Australian Design
Registration Certificate

Part Number Description

0152-364412-40 Half Tonne Low Boy Blast Machine – Electric – Double Outlet
0151-364412-40 Half Tonne Low Boy Blast Machine – Pneumatic – Double Outlet



BURWELL

1300 287 935 burwell.com.au


Version 240602

ONE TONNE DOUBLE OUTLET BLAST MACHINE

The "Fat Boy".

Ideal for large tonnage
industrial projects and
blast room applications.

Suitable for 2 operators.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



CONSTANT PRESSURE

Continuous blasting, less wear and tear and reduced energy consumption.



BUILT TOUGH

Rated to 150 psi (1035 kPa) to meet all situations.



SAFE

Forklift slots removes the risk of unsafe manual handling.



ZERO DOWNTIME

Two outlets provide backup in production.



ISOLATION SYSTEM

Burwell's unique Grit Isolation System to prevent abrasive/grit spillage whilst servicing.



TRANSPORT READY

Rated lifting lugs to make handling and transport safer and easier.

Specifications

Useable Garnet Capacity: 1000kg
Vessel diameter: 940mm
Weight: 440kg
Length: 1100mm
Width: 1500mm
Height: 1660mm
Volume: 665 litres (23.5 cu ft)

Option



2 x Pneumatic Deadman Triggers

Inclusions

Screen & Lid
Thompson II Valve
Brass Pot Couplings
1-1/2" Auto Air Valve
Certified Pressure Relief Valve
2 x 20m Deadman Control Lines
2 x ECK Electric Deadman Triggers
MDR & Australian Design
Registration Certificate

Part Number Description

0152-366312-40 One Tonne Fat Boy Blast Machine - Electric - Double Outlet
0155-366312-40 One Tonne Fat Boy Blast Machine - Pneumatic - Double Outlet



BURWELL

1300 287 935 burwell.com.au


Version 240602

400

AIR DRYER

BREEZE PRO

Our smallest air dryer designed to be used with Single Outlet Blast Machines.



DESICCANT-FREE

Desiccant-free design using Australian Made Coalescing Stainless Steel Filter.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



BUILT TOUGH

Rated to 175 psi to meet all situations.



QUIET

Designed to minimise operational sound levels.



VERSATILE

Designed to withstand the harshest Australian climates and rugged terrains.



PERFORMANCE

Removes up to 90% of moisture in blasting air.*



SITE READY

Forklift slots and lifting lugs remove the risk of unsafe manual handling.

Specifications

Airflow: 400cfm @ 175psi
Filtration Type: 316ss Coalescing Filter
Weight: 380kg
Length: 1200mm
Width: 900mm
Height: 1500mm
Outlet Size: 1 x 2" Ball Valve

Inclusions

Pressure Relief Valve with Certificate
Air Regulator
Moisture Trap
Lubricator
1 x 2" Ball Valve
MDR & Australian Design Registration Certification



Part Number

Description

1404-O400 Burwell 400 Breeze-Pro Air Dryer

Best Suited to Burwell 1642 & 2449 Blast Machines

*Conditions: Approx 35°C Ambient Temp, 100% Relative Humidity, Max Working Pressure: 200psi



BURWELL

1300 287 935 burwell.com.au


Version 241208

800

AIR DRYER

BREEZE PRO

Our most versatile
air dryer ideal for
Double Outlet or
2 Single Outlet
Blast Machines.



DESICCANT-FREE

Desiccant-free design using Australian Made Coalescing Stainless Steel Filter.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



BUILT TOUGH

Rated to 175 psi to meet all situations.



QUIET

Designed to minimise operational sound levels.



VERSATILE

Designed to withstand the harshest Australian climates and rugged terrains.



PERFORMANCE

Removes up to 90% of moisture in blasting air.*



SITE READY

Forklift slots and lifting lugs remove the risk of unsafe manual handling.

Specifications

Airflow: 800cfm @ 175psi
Filtration Type: 316ss Coalescing Filter
Weight: 550kg
Length: 1400mm
Width: 1070mm
Height: 2180mm
Outlet Size: 2 x 2" Ball Valve

Inclusions

Pressure Relief Valve with Certificate
Air Regulator
Moisture Trap
Lubricator
2 x 2" Ball Valve
Inline Water Separator
MDR & Australian Design Registration Certification



Part Number

Description

1404-0800	Burwell 800 Breeze-Pro Air Dryer
-----------	----------------------------------

Best Suited to Burwell Half Tonne & One Tonne Blast Machines

*Conditions: Approx 35°C Ambient Temp, 100% Relative Humidity, Max Working Pressure: 200psi



BURWELL

1300 287 935 burwell.com.au


Version 240602

1600

AIR DRYER

BREEZE
PRO

Our largest
air dryer, ideal
for Bulk Blast
Machines.



DESICCANT-FREE

Desiccant-free design using Australian Made Coalescing Stainless Steel Filter.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



BUILT TOUGH

Rated to 175 psi to meet all situations.



QUIET

Designed to minimise operational sound levels.



VERSATILE

Designed to withstand the harshest Australian climates and rugged terrains.



PERFORMANCE

Removes up to 90% of moisture in blasting air.*



SITE READY

Forklift slots and lifting lugs remove the risk of unsafe manual handling.

Specifications

Airflow: 1600cfm @ 175psi
Filtration Type: 316ss Coalescing Filter
Weight: 550kg
Length: 1920mm
Width: 1400mm
Height: 2550mm
Outlet Size: 2 x 2" Ball Valve
1 x 3" Ball Valve

Inclusions

Pressure Relief Valve with Certificate
Air Regulator
Moisture Trap
Lubricator
2 x 2" Ball Valve
1 x 3" Ball Valve
Inline Water Separator
MDR & Australian Design Registration Certification



Part Number

Description

1404-1600 Burwell 1600 Breeze-Pro Air Dryer

Best Suited to Burwell MS3 & MS6 Bulk Blast Machines.

*Conditions: Approx 35°C Ambient Temp, 100% Relative Humidity, Max Working Pressure: 200psi



BURWELL

1300 287 935 burwell.com.au

Version 241112

WATER SEPARATOR

Low Cost Moisture Removal

The Burwell Water Separator is ideal for removing low to medium volume moisture in compressed air.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel. MDR Supplied.



BUILT TOUGH

Rated to 150 psi (1035kPa) to meet all situations.



UNFITTED

Various combinations available customisable to customer's needs.



PRODUCTIVITY

Increased productivity by reducing moisture content in the air stream.



MOISTURE REMOVAL

Allows larger water droplets and particles to separate from the air stream avoiding corrosion and damage to pneumatic equipment.

Specifications

Inlet size: 2" (50 mm) Female Thread

Outlet size: 2" (50 mm) Female Thread

Pressure Rated: 150 psi (1035 kPa)

Weight: 35kg (bare)

Length: 465mm

Width: 435mm

Height: 845mm

Specifications Cont.

Drain Socket: 1/4" (6mm)


Female Thread c/w Ball Valve

Part Number

Description

0303-1097

Burwell Water Separator (Unfitted)



BURWELL


1300 287 935 burwell.com.au

Version 240602

5000 ELECTRIC EXTRACTION FAN

Portable Extraction Fan

Burwell's Extraction Fans are suitable for confined blast areas to assist in air circulation and improved visibility for the operator.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



IMPROVED MANOEUVRABILITY

Portable design for easy mobility.



COST EFFECTIVE

Provides a cost effective solution to improve air quality on the job site.



LOW MAINTENANCE

Plug and play, no ongoing service costs.



DURABLE

Built tough to last.

Specifications

Weight: 100kg
Length: 910mm
Width: 820mm
Height: 870mm
Power: 240V (15 amp) 3 pin plug
Castors included

Accessories Available

Dust Sock: 500mm dia x 3m or
500mm dia x 6m
Band Clamp to suit Dust Sock

Option





Flexible Ducting with Duct Joiner

Part Number

1301-5241

Description

5000 CFM Electric Extraction Fan



BURWELL


1300 287 935 burwell.com.au

Version 250119

10000 ELECTRIC EXTRACTION FAN

Portable Extraction Fan

Burwell's Extraction Fans are suitable for confined blast areas to assist in air circulation and improved visibility for the operator.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



IMPROVED MANOEUVRABILITY

Portable design for easy mobility.



COST EFFECTIVE

Provides a cost effective solution to improve air quality on the job site.



LOW MAINTENANCE

Plug and play, no ongoing service costs.



DURABLE

Built tough to last.

Specifications

Weight: 105kg
Length: 810mm
Width: 960mm
Height: 950mm
Power: 415V (20 amp) 4 pin plug
Castors included

Accessories Available

Dust Socks: 622mm dia x 3m or
622mm dia x 6m
Band Clamp to suit Dust Sock

Option



Flexible Ducting with Duct Joiner

Part Number

1301-1415

Description

10000 CFM Electric Extraction Fan



BURWELL


1300 287 935 burwell.com.au

Version 240602

10000 PNEUMATIC EXTRACTION FAN

Portable Extraction Fan

Burwell's Extraction Fans are suitable for confined blast areas to assist in air circulation and improved visibility for the operator.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



IMPROVED MANOEUVRABILITY

Portable design for easy mobility.



COST EFFECTIVE

Provides a cost effective solution to improve air quality on the job site.



LOW MAINTENANCE

Plug and play, no ongoing service costs.



DURABLE

Built tough to last.

Specifications

Weight: 85kg
Length: 600mm
Width: 1000mm
Height: 950mm
Inlet Type: 1" 2-Claw Coupling
Air Required: 150CFM @ 100psi
Castors included

Option

Flexible Ducting with Duct Joiner

Inclusions



Dust Sock: 500mm dia x 3m or
500mm dia x 6m
Band Clamp to suit Dust Sock

Part Number

1303-1032

Description

10000 CFM Pneumatic Extraction Fan



BURWELL


1300 287 935 burwell.com.au

Version 240602

SAFETY LOAD SYSTEM

Protecting Workers

A safe way to load your Blast Machines from Bulker Bags.



Specifications

2 tonne Garnet Capacity Hopper
Pneumatic knife gate with pneumatic cylinder
Length: 2650mm
Width: 2000mm
Height: 2250mm

Inclusions

Pneumatic operated toggle switch

Part Number

0304-1205

Description

Burwell Safety Load System

STEPS

1. Empty bulker bag into hopper
2. Position hopper above Blast Machine
3. Use toggle switch to release abrasive
4. You're ready to blast!



SAFETY

Removes working at heights risks and working under suspended loads.



BUILT TOUGH

Engineer certified for rating up to 3 tonne loads.



FUNCTIONALITY

Toggle switch operated from ground level and all equipment have tyne slots.



AUSTRALIAN MADE

Designed and made in Australia to AS4100 using Australian Steel.



AWARDED

Site award for safety practices.




SITE READY

Forklift slots comply with Australian safety and site standards.



SCREENING

Internal mesh screen to prevent foreign material entering the blasting vessel.



BURWELL


1300 287 935 burwell.com.au

Version 240727

LOAD HOPPER

Effective and Secure

A convenient way to load your Blast Machine.



BUILT TOUGH

Engineer certified for rating up to 3 tonne loads.



MANEUVERABILITY

Toggle switch operated from ground level and all equipment have tyne slots.



AUSTRALIAN MADE

Designed and made in Australia to AS4100 using Australian Steel.



SITE READY

Forklift slots comply with Australian safety and site standards.



SCREENING

Internal mesh screen to prevent foreign material entering the blasting vessel.

Specifications

2 tonne Garnet Capacity Hopper
Pneumatic knife gate with pneumatic cylinder
Length: 1250mm
Width: 1250mm
Height: 1750mm

Inclusions

Pneumatic operated toggle switch

Part Number


1304-1202

Description

Burwell Load Hopper



The convenient way to refill your Blast Machine.



BURWELL

1300 287 935 burwell.com.au

Version 240727

30L MULTI OUTLET AIR MANIFOLD

Burwell's "Air Pig"

Designed for applications where a number of tools are to be worked off a single air supply.



Specifications

1 x 2" Inlet Port
6 x 1" Outlet Ports
1 x 1/4" Drain Socket
Pressure Rated: 160 psi (1100 kPa)
Weight: 26kg (bare)
Length: 480mm
Width: 400mm
Height: 450mm

Part Number	Description
0501-2303	30L Multi Outlet Air Manifold



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel. MDR Supplied.




BUILT TOUGH

Rated to 160 psi (1100kPa) to meet all situations.



UNFITTED

Various combinations available, customisable to customer's needs including pressure relief valve.



Speak to your local Burwell
Representative about fitted options.

BURWELL

1300 287 935 burwell.com.au


Version 240602

DUSTMASTER SERIES

MOBILE DUST COLLECTOR

JUNIOR MODEL
5,000 – 10,000 CFM

Ideal for small, mobile projects



Specifications

Weight: 2400kg
Length: 3520mm
Width: 2085mm
Height: 2360mm

Options

Diesel
Auger – 150mm diameter screw

Inclusions

Electrical: 415 volts, 3 phase, 50 HZ power requirement for VSD control panel
Plug: 32 amp plug with 10m lead
Fan: Rated for high static resistance to allow for duct runs up to 250m
Silenced pulse valve enclosure 84 dBA
Gold cone cartridge filters
Automated pulse control system
Telescopic legs for hopper discharge

Part Number

Description

MDC-JUNIOR-E	Dustmaster Junior Mobile Dust Collector – Electric
MDC-JUNIOR-D	Dustmaster Junior Mobile Dust Collector – Diesel
MDC-AUGER-JUNIOR	Auger 150mm diameter screw with rotary lock



QUIET

Electric unit is designed to minimise operational sound levels.



REMOTE

Diesel unit is designed for remote work.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



POWER MANAGEMENT

VSD starter on electric control board reduces power demand, reduces energy consumption and provides accurate airflow.



VERSATILE

Occupies minimal space on site.



PERFORMANCE

Designed for long duct runs.




SITE READY

Forklift slots and lifting lugs remove the risk of unsafe manual handling.



COMPACT DESIGN

Small footprint for site mobilisation.



BURWELL

1300 287 935 burwell.com.au


Version 241120

DUSTMASTER SERIES

MOBILE DUST COLLECTOR

PRO MODEL
15,000 – 20,000 CFM

Ideal for large scale projects.



Specifications

Weight: 4500kg
Length: 5350mm
Width: 2250mm
Height: 2770mm

Options

Genset 60 kva
Diesel
Auger – 150mm diameter screw

Inclusions

Electrical: 415 volts, 3 phase, 50 HZ power requirement for VSD control panel
Plug: 50 amp plug with 10m lead
Fan: Rated for high static resistance to allow for duct runs up to 250m
Silenced pulse valve enclosure 84 dBA
Gold cone cartridge filters
Automated pulse control system
Telescopic legs for hopper discharge

Part Number

Description

MDC-PRO-E	Dustmaster Pro Mobile Dust Collector – Electric
MDC-PRO-D	Dustmaster Pro Mobile Dust Collector – Diesel
MDC-GEN-PRO	Genset for electric dust collector (PRO) 60kva
MDC-AUGER-PRO	Auger 150mm diameter screw with rotary lock



QUIET

Electric unit is designed to minimise operational sound levels.



REMOTE

Diesel unit is designed for remote work.



VERSATILE

Electric unit has the option of a genset to take it remote.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



POWER MANAGEMENT

VSD starter on electric control board reduces power demand, reduces energy consumption and provides accurate airflow.



PERFORMANCE

Designed for long duct runs.





SITE READY

Forklift slots and lifting lugs remove the risk of unsafe manual handling.



COMPACT DESIGN

Small footprint for site mobilisation.



BURWELL

1300 287 935 burwell.com.au


Version 241120

DUSTMASTER SERIES

MOBILE DUST COLLECTOR

ELITE MODEL
25,000 – 35,000 CFM

Ideal for large scale projects.



Specifications

Weight: 9000kg
Length: 7880mm
Width: 2340mm
Height: 3200mm

Options

Genset 104 kva
Diesel
Auger – 150mm diameter screw

Inclusions

Electrical: 415 volts, 3 phase, 50 HZ power requirement for VSD control panel
Plug: 63 amp plug with 10m lead
Fan: Rated for high static resistance to allow for duct runs up to 250m
Silenced pulse valve enclosure 84 dBA
Gold cone cartridge filters
Automated pulse control system
Telescopic legs for hopper discharge

Part Number

Description

MDC-ELITE-E	Dustmaster Elite Mobile Dust Collector – Electric
MDC-ELITE-D	Dustmaster Elite Mobile Dust Collector – Diesel
MDC-GEN-ELITE	Genset for electric dust collector (ELITE) 104 kva
MDC-AUGER-ELITE	Auger 150mm diameter screw with rotary lock



QUIET

Electric unit is designed to minimise operational sound levels.



REMOTE

Diesel unit is designed for remote work.



VERSATILE

Electric unit has the option of a genset to take it remote.



AUSTRALIAN MADE

Designed and made in Australia to AS1210 using Australian Plate Steel.



POWER MANAGEMENT

VSD starter on electric control board reduces power demand, reduces energy consumption and provides accurate airflow.



PERFORMANCE

Designed for long duct runs.





SITE READY

Forklift slots and lifting lugs remove the risk of unsafe manual handling.



COMPACT DESIGN

Small footprint for site mobilisation.



BURWELL

1300 287 935 burwell.com.au

Version 241120

VIXEN 1215

AQUABLAST CABINET

Ideal for Medium to Large Components

The Aquablast® 1215 is the second-largest wet blasting model in the range.



Specifications

Load Capacity: 100kg
Internal Diameter: 1050mm
Weight: 500kg
Length: 1180mm
Width: 1215mm
Height: 1890mm

Inclusions

Powder coated finish	Standard right side opening door with chrome handle
Viewing window	Media catch tray under right door
Low voltage windscreen wiper and wash facility	Quick release submersible polyurethane
Single variable position footswitch operation	Stainless steel inlet filter and motor housing
Leg mounted control for light and pump	Dual purpose sedimentation filter
Lightweight polyurethane blast gun	

Part Number

Description

1210-1215	Vixen Aquablast Cabinet 1215
1219-1216	Rinse System, Closed Loop
1219-1219	Blast Gun Holder



EUROPEAN MADE

Designed and made in the UK with high grade stainless steel.



BEST PUMP IN THE MARKET

True slurry pump designed to give excellent performance and longevity.



QUIET OPERATION

Bonded rubber lined for sound insulation and unit protection.



HIGH VISIBILITY

LED lighting on ceiling and windscreen washer.





PERFORMANCE

The Vixen 1215 is designed to save you time, which saves you money.



A SMOOTH RESULT

When used with either ceramic or glass bead media will produce a near new smooth finish that reduces stress fractures.



BURWELL


1300 287 935 burwell.com.au

Version 250521

912 SUCTION BLAST CABINET

Ideal for Industrial Use

Offers efficient surface preparation with a large viewing window and effective dust containment. Its durable design includes easy glove replacement and handles heavy items with ease.



Specifications

Weight: 495kg
Length: 1455mm
Width: 1200mm
Height: 1785mm

Options

600CFM Jet Pulse Dust Collector c/w 600mm dia Cyclone Reclaimer
Pneumatic Lift-Up Door
Trolley, Turntable & Tracks
Fixed 600mm turntable
Noise Attenuator

Inclusions

600CFM concertina needle felt 30 bag fabric dust collector
600CFM air handling fan c/w 1.1 kW 415V 4 pin 10 amp plug with 5m powerlead
Electric motor
Cyclone reclaimer
Interconnecting ductwork between cabinet and dust collector
Operating & instruction manual

Part Number

Description

1202-0912	912 Suction Blast Cabinet
1212-0912	912 Suction Blast Cabinet c/w Jet Pulse Dust Collector



AUSTRALIAN MADE

Designed and made in Australia using 3mm sheet metal.



LOCAL SUPPORT

Easily accessible parts and service.



MAXIMISED VISIBILITY

Increased visibility with an oversized fan and large viewing window.



DUST SEALED

Dust is contained with compression latches.



SPACE-SAVING

Compact design.



QUICK GLOVE SWAP

Fast and easy glove replacement.



MESS-FREE

Debris catchment tray.





ROBUST

Internal floor is rated for heavy items.



FORKLIFT READY

Mobile friendly with forklift tynes.



BURWELL

1300 287 935 burwell.com.au

Version 250513

Conveniently located across Australia

Find your nearest branch by calling
1300 287 935 or visit us at
burwell.com.au